

ROMANIA

COMISIA NATIONALA DE OMOLOGARE
A PRODUSELOR DE PROTECTIE A PLANTELOR

ROMANIA

NATIONAL COMMISSION FOR REGISTRATION
OF PLANT PROTECTION PRODUCTS

CERTIFICAT DE OMOLOGARE
a produselor de protectie a plantelor
REGISTRATION CERTIFICATE
of plant protection products

Nr/No **2110** din/of **29.08.2001**

AVAND IN VEDERE CEREREA DE OMOLOGARE DEPUASA DE
TAKING INTO ACCOUNT REGISTRATION APPLICATION PUT UP BY

NUFARM GmbH & Co KG, AUSTRIA

INREGISTRATA CU NR
RECORDED UNDER NO

DIN
DATED

INSOTITA DE DOCUMENTATIA
ACCOMPANIED BY THE NECESSARY

NECESARA, CONFORM DISPOZITIILOR LEGALE.
DOCUMENTATION DRAWN UP IN ACCORDANCE WITH THE LEGAL PROVISIONS.

COMISIA NATIONALA DE OMOLOGARE A PRODUSELOR DE PROTECTIE A PLANTELOR, IN
NATIONAL COMMISSION FOR REGISTRATION OF PLANT PROTECTION PRODUCTS

SEDINTA DIN 29.08.2001 A AUTORIZAT FOLOSIREA IN AGRICULTURA SI SILVICULTURA
DURING THE MEETING HELD ON AUTHORIZED THE USAGE IN AGRICULTURE AND SILVICULTURE

A PRODUSULUI DE PROTECTIE A PLANTELOR DESCRIS MAI JOS:
OF THE PLANT PROTECTION PRODUCT DESCRIBED AS FOLLOWS:

DENUMIREA COMERCIALA
TRADE NAME

CUPROXAT FLOWABLE

SUBSTANTA ACTIVA
ACTIVE INGREDIENT

190 g/l cupru

FABRICANT/PRODUCATOR
PRODUCER/MANUFACTURER

NUFARM GmbH & Co KG, AUSTRIA

CARACTERISTICI FIZICO-CHIMICE
(ASPECT, DATE ANALITICE)
PHYSICAL-CHEMICAL PROPERTIES
(APPEARANCE, ANALYTICAL DATA)

**suspensie fina, omogena, mobila, cu tendinta
de depunere in timp dar cu o buna capacitate
de revenire in sistem omogen,
de culoare verzuie.**

CUVANT DE AVERTIZARE
WORD OF WARNING

Atentie
Warning

INDICATIE DE PERICOL
INDICATION OF DANGER

Periculos pentru mediu
Dangerous for the environment



FRAZE DE PERICOL

DANGER PHRASES

H410 - Foarte toxic pentru organismele acvatice cu efecte pe termen lung

Very toxic to aquatic organisms, with long-term adverse effects

EUH208 – Conține 1,2-benzisotiazolin-3-one. Poate provoca o reacție alergică

Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction

EUH401 – Pentru evitarea riscului pentru sanatatea umana si mediu, respectati instructiunile de utilizare

To avoid risks to human health and the environment, comply with the instructions for use

FRAZE DE PREVENIRE

PREVENTION PHRASES

P273 – Evitati dispersarea în mediu

Avoid the dispersion to the environment

P391 – Colectati scurgerile de produs

Collect the spillage

P501 – Eliminati continutul/recipientul in conformitate cu reglementarile locale

Dispose of contents / container in accordance with local regulations

FRAZE STANDARD PENTRU RISCURI SPECIALE

STANDARD PHRASES FOR SPECIAL RISKS

FRAZE STANDARD DE PRUDENTA SPECIALE

STANDARD PHRASES FOR SPECIAL PRECAUTIONS

SP1 – A nu se contamina apa cu produsul sau ambalajul. A nu se curata echipamentele de aplicare in apropierea apelor de suprafata

Do not contaminate water with the product or its container. Do not clean application equipment near surface water

Spe3 – Pentru protectia organismelor acvatice respectati o zona tampon de minim de 15 m pana la apele de suprafata

To protect aquatic organisms respect an unsprayed buffer zone of 15 m to surface water bodies

MASURI DE IGIENA SI DE TEHNICA A SECURITATII MUNCII

HYGIENE AND SAFETY MEASURES

A se evita contactul produsului cu ochii si pielea. In timpul lucrului se poarta obligatoriu echipament de protectie adecvat Nu se bea, nu se mananca si nu se fumeaza. Dupa terminarea lucrului si inaintea meselor se spala bine mainile si fata cu multa apa si sapun. A nu se lasa produsul la indemana copiilor si altor persoane neautorizate si in zonele de acces ale animalelor. A nu se contamina apa, alimentele, furajele, semintele sau ambalajele acestora.

DOMENIU DE UTILIZARE

FIELD OF USE

FUNGICID

FUNGICIDE

MODUL DE FOLOSIRE OMOLOGAT (CULTURI, DOZE, AGENT DE DAUNARE)

REGISTERED MODE OF APPLICATION (CROPS, DOSAGE, DAMAGING AGENT)

SAMBUROASE: (cais, piersic, cires, visin, prun)	<i>Monilinia spp.</i>	0,35%
MAR:	<i>Venturia inaequalis</i> <i>Erwinia amylovora</i> (prefloral)	0,35 %
VITA DE VIE:	<i>Plasmopara viticola</i>	4,0 l/ha (0,4 %) in 1000 l/ha solutie (la aplicarea ultimelor 2 tratamente)
VITA DE VIE:	<i>Plasmopara viticola</i>	3,0 – 4,0 l/ha (in functie de presiunea de infectie) Tratamente postflorale
TOMATE:	<i>Phytophthora infestans</i> <i>Alternaria solani</i>	3,0 – 4,0 l/ha
CARTOF:	<i>Phytophthora infestans</i>	3,0 – 4,0 l/ha (3,0 l/ha cand presiunea de infectie este scazuta si 4,0 l/ha cand presiunea de infectie este ridicata si sunt conditii favorabile de mana)



TIMP DE PAUZA
PRE – HARVESTING INTERVAL

TERMEN DE GARANTIE
GUARANTEE PERIOD

ORICE MODIFICARE IN COMPOZITIA PRODUSULUI DE PROTECTIE A PLANTELOR VA FI COMUNICATA
ANY MODIFICATION IN THE COMPOSITION OF THE PLANT PROTECTION PRODUCT SHOULD BE COMMUNICATED

COMISIEI NATIONALE DE OMOLOGARE A PRODUSELOR DE PROTECTIE A PLANTELOR;
TO THE NATIONAL COMMISSION FOR REGISTRATION OF PLANT PROTECTION PRODUCTS;

MODIFICARILE IMPORTANTE FAC OBIECTUL UNEI NOI CERERI DE OMOLOGARE.
SIGNIFICANT CHANGES WILL BE SUBJECT TO A NEW REGISTRATION APPLICATION.

PREZENTUL CERTIFICAT DE OMOLOGARE ESTE VALABIL PANA LA DATA DE 29.08.2021
THIS REGISTRATION CERTIFICATE IS VALID UNTIL

PRESEDINTE
CHAIRMAN

Doina BĂICULESCU



ELIBERAT LA BUCUREȘTI
ISSUED IN BUCHAREST

DATA 17.08.2016
DATE